

# GDY454



SEAMLESS KNITTED CUT-RESISTANT GLOVE WITH BI-POLYMER COATING WITH SANDY FINISH

## DESCRIPTION

- ▶ Advanced Knitting Technology for enhanced flexibility and comfort in more most accurate handling
- ▶ 15-gauge technical yarn shell for excellent dexterity and tactile sensitivity
- ▶ Special bi-polymer coating for a perfect balance between mechanical wearing resistance and flexibility
- ▶ Micro-porous nitrile coating, not in contact with the user's skin, for maximum breathability and grip in dry environment.
- ▶ Contact heat resistance 1 (100°C for at least 15 seconds)


## FIELD OF USE

- ▶ Precision handling of very sharp and abrasive pieces, also in presence of light contact heat risk

Model	GDY454
Environment	Dry or slightly wet/oily
Construction	Seamless knitted
Shell material	High tenacity elasticized HPPE/polyamide/spandex yarn reinforced with mineral fiber
Gauge	15
Coating	Nitrile and water-based polyurethane foam with sandy finish
Coating area	Palm
Cuff	Elasticized knitted wrist
Length (mm)	220-270
Size	6, 7, 8, 9, 10, 11
Packing	Bag: 12 pairs / Carton: 144 pairs
Ambidextrous	No

## MECHANICAL PROTECTION

EN388:2016



4X43C

## HEAT AND/OR FIRE PROTECTION

EN407:2004



X1XXXX



Release 28/2/2019

REGISTRATED TRADEMARK SAFETY SYSTEMS  
(DEP.NUM. 302017000074272)

## MARKING

According to EN420 through heat-transfer label DPI Cat. II certificato a norme EN420, EN388, EN407

**Lanzi SRL** Via Giulio Natta, 27/A Torino - Italia  
Phone: +39 011 2284011 - Fax: +39 011 2284022  
info@lanzigroup.com